



# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2016

Reviewed on 10/29/2015

## \* 1 Identification

### - Product identifier

- **Trade name:** Damn Good™ Super Glue

- **Synonyms:** 311 Rubber Toughened - Shock & Impact Resistant - Clear

- **Part number:** 311DG

### - Details of the supplier of the safety data sheet

- **Manufacturer/Supplier:**

ND Industries, Inc  
1000 North Crooks Road  
Clawson, MI 48017  
USA  
Telephone: +1-248-288-0000  
Email: info@ndindustries.com  
Website: www.ndindustries.com

- **Information department:** Product safety department

- **Emergency telephone number:**

United States: 1-800-424-9300

## \* 2 Hazard(s) identification

### - Classification of the substance or mixture



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Flam. Liq. 4 H227 Combustible liquid.

### - Label elements

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

#### - Hazard pictograms



GHS07

- **Signal word** Warning

#### - Hazard-determining components of labeling:

ethyl 2-cyanoacrylate

#### - Hazard statements

H227 Combustible liquid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

#### - Precautionary statements

P210 Keep away from flames and hot surfaces. – No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves / eye protection / face protection.

P280 Wear protective gloves.

P280 Wear eye protection / face protection.

P271 Use only outdoors or in a well-ventilated area.

P264 Wash face, hands and any exposed skin thoroughly after handling.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P302+P352 IF ON SKIN: Wash with plenty of water.

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2016

Reviewed on 10/29/2015

Trade name: Damn Good™ Super Glue

(Contd. of page 1)

|           |   |
|-----------|---|
| P321      | Specific treatment (see on this label).   |
| P405      | Store locked up.  |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed.                                    |
| P403+P235 | Store in a well-ventilated place. Keep cool.  |
| P501      | Dispose of contents/container in accordance with local/regional/national/international regulations. |

**- Information pertaining to particular dangers for man and environment:**

Cyanacrylate. DANGER. Glues skin and eyelids within seconds. Should be kept out of children's reach.

**- Classification system:**

**- NFPA ratings (scale 0 - 4)**



**- HMIS-ratings (scale 0 - 4)**



**- Other hazards**

**- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### \* 3 Composition/information on ingredients

**- Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

**- Dangerous components:**

|           |                       |   |         |
|-----------|-----------------------|---|---------|
| 7085-85-0 | ethyl 2-cyanoacrylate | Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335; Flam. Liq. 4, H227 | 90-100% |
|-----------|-----------------------|---|---------|

### 4 First-aid measures

**- Description of first aid measures**

**- After inhalation:**

In case of unconsciousness place patient stably in side position for transportation.  
Supply fresh air; consult doctor in case of complaints.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** Call a doctor immediately.

**- Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** Breathing difficulty

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

**- Extinguishing media**

**- Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **For safety reasons unsuitable extinguishing agents:** Water with full jet

- **Special hazards arising from the substance or mixture** Nitrogen oxides (NO<sub>x</sub>)

**- Advice for firefighters**

**- Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

### \* 6 Accidental release measures

**- Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Wear protective clothing.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

**- Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Allow to solidify. Pick up mechanically.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

**- Reference to other sections**

See Section 7 for information on safe handling.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2016

Reviewed on 10/29/2015

Trade name: Damn Good™ Super Glue

(Contd. of page 2)

See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## \* 7 Handling and storage

### - Handling:

#### - Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.

- **Information about protection against explosions and fires:** No special measures required.

### - Conditions for safe storage, including any incompatibilities

#### - Storage:

##### - Requirements to be met by storerooms and receptacles:

Store in a cool location.  
Store only in the original receptacle.

- **Information about storage in one common storage facility:** Store away from oxidizing agents.

- **Further information about storage conditions:** Keep receptacle tightly sealed.

- **Specific end use(s)** No further relevant information available.

## \* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

### - Control parameters

#### - Components with limit values that require monitoring at the workplace:

7085-85-0 ethyl 2-cyanoacrylate

TLV Long-term value: 1 mg/m<sup>3</sup>, 0.2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

### - Exposure controls

#### - Personal protective equipment:

##### - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

##### - Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.  
Not necessary if room is well-ventilated.

##### - Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

##### - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

##### - Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Not suitable are gloves made of the following materials:** PVC gloves

### - Eye protection:



Tightly sealed goggles

- **Body protection:** Protective work clothing

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2016

Reviewed on 10/29/2015

Trade name: Damn Good™ Super Glue

(Contd. of page 3)

## \* 9 Physical and chemical properties

|  |  |
|--|--|
| <b>- Information on basic physical and chemical properties</b> |  |
| <b>- General Information</b>                                   |  |
| <b>- Appearance:</b>   |  |
| - Form:  | Liquid                                     |
| - Color:   | Opaque                                     |
| - Odor:  | Characteristic                             |
| - Odor threshold:  | Not determined.                            |
| - pH-value:  | Not determined.                            |
| <b>- Change in condition</b>                                   |  |
| - Melting point/Melting range:                                 | Undetermined.                              |
| - Boiling point/Boiling range:                                 | 150 °C (302 °F)                            |
| - Flash point:   | 87 °C (189 °F)                             |
| - Flammability (solid, gaseous):                               | Not applicable.                            |
| <b>- Ignition temperature:</b>                                 |  |
| - Decomposition temperature:                                   | Not determined.                            |
| - Auto igniting:   | Product is not selfigniting.               |
| - Danger of explosion:   | Not determined.                            |
| <b>- Explosion limits:</b>                                     |  |
| - Lower:   | Not determined.                            |
| - Upper:   | Not determined.                            |
| - Vapor pressure:  | Not determined.                            |
| - Density at 20 °C (68 °F):                                    | 1.05 g/cm <sup>3</sup> (8.762 lbs/gal)     |
| - Relative density   | Not determined.                            |
| - Vapor density  | Not determined.                            |
| - Evaporation rate   | Not determined.                            |
| <b>- Solubility in / Miscibility with</b>                      |  |
| - Water:   | Not miscible or difficult to mix.          |
| - Partition coefficient (n-octanol/water):                     | Not determined.                            |
| <b>- Viscosity:</b>  |  |
| - Dynamic at 20 °C (68 °F):                                    | 2400 mPas                                  |
| - Kinematic:   | Not determined.                            |
| <b>- Solvent content:</b>                                      |  |
| - Organic solvents:  | 0.0 %                                      |
| - VOC content:   | 0.0 g/l / 0.00 lb/gl                       |
| - Solids content:  | 95.0 %                                     |
| - Other information  | No further relevant information available. |

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
  - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## \* 11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**
    - **Primary irritant effect:**
      - **on the skin:** Irritant to skin and mucous membranes.
      - **on the eye:** Irritating effect.
  - **Sensitization:** No sensitizing effects known.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2016

Reviewed on 10/29/2015

Trade name: Damn Good™ Super Glue

(Contd. of page 4)

**- Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

**- Carcinogenic categories****- IARC (International Agency for Research on Cancer)**

|          |                      |   |
|----------|----------------------|---|
| 123-31-9 | 1,4-dihydroxybenzene | 3 |
|----------|----------------------|---|

**- NTP (National Toxicology Program)**

None of the ingredients is listed.

**- OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**\*12 Ecological information****- Toxicity****- Aquatic toxicity:** No further relevant information available.**- Persistence and degradability** No further relevant information available.**- Behavior in environmental systems:****- Bioaccumulative potential** No further relevant information available.**- Mobility in soil** No further relevant information available.**- Additional ecological information:****- General notes:** Generally not hazardous for water**- Results of PBT and vPvB assessment****- PBT:** Not applicable.**- vPvB:** Not applicable.**- Other adverse effects** No further relevant information available.**13 Disposal considerations****- Waste treatment methods****- Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.**- Uncleaned packagings:****- Recommendation:** Disposal must be made according to official regulations.**\*14 Transport information****- UN-Number**

|                          |               |
|--------------------------|---------------|
| <b>- DOT</b>             | NA1993        |
| <b>- ADN, IMDG, IATA</b> | not regulated |

**- UN proper shipping name**

|                          |                           |
|--------------------------|---------------------------|
| <b>- DOT</b>             | COMBUSTIBLE LIQUID, N.O.S |
| <b>- ADN, IMDG, IATA</b> | not regulated             |

**- Transport hazard class(es)**

|                               |               |
|-------------------------------|---------------|
| <b>- DOT, ADN, IMDG, IATA</b> |               |
| <b>- Class</b>                | not regulated |

**- Packing group**

|                     |               |
|---------------------|---------------|
| <b>- DOT</b>        | III           |
| <b>- IMDG, IATA</b> | not regulated |

**- Environmental hazards:****- Marine pollutant:** No**- Special precautions for user**

Not applicable.

**- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

**- Transport/Additional information:**

|                               |   |
|-------------------------------|---|
| <b>- DOT</b>                  |   |
| <b>- Quantity limitations</b> | On passenger aircraft/rail: 60 L<br>On cargo aircraft only: 220 L |

**- UN "Model Regulation":** not regulated

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2016

Reviewed on 10/29/2015

Trade name: Damn Good™ Super Glue

(Contd. of page 5)

## \* 15 Regulatory information

### - Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Sara

#### - Section 355 (extremely hazardous substances):

123-31-9 1,4-dihydroxybenzene

#### - Section 313 (Specific toxic chemical listings):

123-31-9 1,4-dihydroxybenzene

#### - TSCA (Toxic Substances Control Act):

All ingredients are listed.

#### - Proposition 65

#### - Chemicals known to cause cancer:

None of the ingredients is listed.

#### - Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### - Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### - Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### - Carcinogenic categories

#### - EPA (Environmental Protection Agency)

109-63-7 diethyl ether--boron trifluoride

I (oral)

#### - TLV (Threshold Limit Value established by ACGIH)

123-31-9 1,4-dihydroxybenzene

A3

#### - NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### - Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### - Department issuing SDS: ND Industries, Inc. - Safety, Health and Environmental Affairs

#### - Contact: Safety, Health and Environmental Affairs

#### - Date of preparation / last revision 05/06/2016 / 24

#### - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety &amp; Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

LC50: Lethal concentration, 50 percent

BEI: Biological Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

#### - \* Data compared to the previous version altered.

#### - Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.